点 评

大气颗粒物对健康的影响

芮巍, 谭明典, 张芳, 丁文军*

中国科学院大学生命科学学院环境与健康实验室, 北京 100049

* 联系人, E-mail: dingwj@ucas.ac.cn

收稿日期: 2014-03-27; 接受日期: 2014-04-09; 网络版发表日期: 2014-06-04

国家自然科学基金(批准号: 11275264, 21377127), 环境保护部专项计划(批准号: 2111101-12)资助项目

doi: 10.1360/052014-56

近年来研究发现, 大气颗粒物严重影响人体健康, $\text{PM}_{2.5}$ 每年造成 80 万人死亡, 排在所有致死因素的第 13 位^[1]. 大气颗粒物是悬浮于空气中颗粒的总称, 按照其空气动力学粒径分为总悬浮颗粒物(TSP, 空气动力学直径小于 100 μm , 下同)、可吸入颗粒物(PM_{10})、细颗粒物($\text{PM}_{2.5}$)和超细颗粒物($\text{PM}_{0.1}$)^[2]. 不同粒径颗粒物随呼吸分布在呼吸道不同位置^[3,4]. PM_{10} 通常沉积在上呼吸道、气管和主支气管中, $\text{PM}_{2.5}$ 主要沉积到细支气管、肺泡^[2], $\text{PM}_{0.1}$ 经嗅球进入中枢神经系统, $\text{PM}_{0.1}$ 、颗粒物可溶组分及诱导肺部产生的炎症因子进入血液循环^[5], 作用于其他组织器官, 引起氧化应激和炎症反应, 导致机体损伤^[6]. 因此, 大气颗粒物对健康的影响受到社会各界的密切关注. 本文主要综述大气颗粒物对健康的影响及其作用机制.

1 大气颗粒物对健康的影响

(1) 大气颗粒物对呼吸系统的影响. 大量流行病学研究表明, 大气颗粒物暴露与慢性阻塞性肺病、支气管炎、哮喘等呼吸系统疾病发生密切相关^[7], 尤其是老人、儿童以及哮喘患者等易感人群对大气颗粒物十分敏感^[8-10]. 近期研究显示, 大气颗粒物也与肺癌的发生相关^[11-13]. 2013 年国际癌症研究机构已将大气污染确定为致癌物^[14].

(2) 大气颗粒物对神经系统的影响. 颗粒物的急性暴露影响植物性神经功能, 降低副交感神经

的信号传导, 影响心血管等器官的运动^[15]. 急性颗粒物暴露还与中风发病率相关, PM_{10} 每增加 10 $\mu\text{g}/\text{m}^3$, 中风的住院率增加 1%^[16].

长期高浓度颗粒物暴露影响机体认知能力. Ranft 等人^[17]发现, 交通源颗粒物损伤老年人的认知能力. 高浓度颗粒物暴露易导致儿童、成人和老年人的认知能力下降、嗅球功能紊乱、听力损伤、抑郁等^[18,19]. 此外, 自闭症与交通源颗粒物的暴露相关^[20-22]. 儿童长期暴露颗粒物后, 其与神经退行性疾病相关的 β 淀粉样肽、Tau 蛋白磷酸化和 α -突触核蛋白的水平显著升高^[23,24]. 动物实验结果也显示, 小鼠暴露 $\text{PM}_{2.5}$ 10 个月后, 其学习能力和记忆能力受到明显影响, 出现焦虑和抑郁行为^[25].

(3) 大气颗粒物对心血管系统的影响. 颗粒物急性暴露后心率、心率减速能力和心率变异性发生显著改变^[26]. 颗粒物影响血压和血管直径, PM_{10} 增加 34 $\mu\text{g}/\text{m}^3$, 志愿者的收缩压增加 0.47 mm Hg^[27], 暴露于 200 $\mu\text{g}/\text{m}^3$ 柴油机尾气颗粒物(diesel exhaust particles, DEP) 2 h 后, 志愿者肱动脉直径减小 0.11 mm^[28]. 此外, 颗粒物升高血小板黏稠度^[29], 缩短凝血时间^[30], 上调凝血因子水平^[31].

长期高浓度颗粒物暴露降低血管舒张能力^[32]和促进动脉粥样硬化的形成^[5]. Wilker 等人^[33]发现 $\text{PM}_{2.5}$ 增加 1.9 $\mu\text{g}/\text{m}^3$, 血管舒张能力减小 0.16%, 血流速度降低 0.72 cm/s. Kunzli 等人^[34]发现, $\text{PM}_{2.5}$ 浓度每增加

引用格式: 芮巍 谭明典 张芳, 等. 大气颗粒物对健康的影响. 中国科学: 生命科学, 2014, 44: 623-627

Rui W, Tan M D, Zhang F, et al. Adverse health effects of particulate matter. SCIENTIA SINICA Vitae, 2014, 44: 623-627, doi: 10.1360/052014-56

10 $\mu\text{g}/\text{m}^3$, 颈动脉的血管内膜增厚 5.9%. 4494 例长期暴露机动车尾气 $\text{PM}_{2.5}$ 的人群研究显示, 10.2% 个体出现冠状动脉钙化^[35]. 载脂蛋白-E 基因缺陷型小鼠和 Watanabe 高脂兔长期暴露 $\text{PM}_{0.1}$ 和 $\text{PM}_{2.5}$ 或经支气管灌流 PM_{10} 后, 动脉粥样硬化斑块体积显著增加^[36-38].

(4) 大气颗粒物对生殖发育的影响. 研究表明, DEP 暴露后大鼠的精子数量和活性均降低^[39], 受精能力受到影响. Slama 等人^[40]研究显示, $\text{PM}_{2.5}$ 每升高 10 $\mu\text{g}/\text{m}^3$, 受精能力下降约 22%. DEP 引起小鼠 X 染色体失活和特异转录子表达^[41]. 此外, 交通源 $\text{PM}_{2.5}$ 引起小鼠生育率下降和胎鼠体重减轻, 而且在怀孕前和怀孕期间暴露 $\text{PM}_{2.5}$, 胎鼠体重下降明显^[42]. 人群研究结果也显示, $\text{PM}_{2.5}$ 的浓度每升高 5 $\mu\text{g}/\text{m}^3$, 低体重婴儿的出生率约为 1.18%, 如果 $\text{PM}_{2.5}$ 降低 10 $\mu\text{g}/\text{m}^3$, 低体重婴儿的出生率将减少 22%^[43].

(5) 大气颗粒物对内分泌系统的影响. 流行病学调查结果显示, 大气颗粒物与 2 型糖尿病的发病相关. 研究表明, $\text{PM}_{2.5}$ 浓度升高与 2 型糖尿病的发病率上升呈正相关性^[44-46]. 另外, $\text{PM}_{2.5}$ 可诱发 1 型糖尿病和妊娠糖尿病^[47,48], 并升高糖基化血红蛋白水平^[49]. 急性颗粒物暴露诱发酮症酸中毒等糖尿病急性并发症^[50]. 亚急性低浓度 $\text{PM}_{2.5}$ 暴露引起机体胰岛素抵抗^[51]. 动物研究结果也证实, 小鼠长期暴露 $\text{PM}_{2.5}$ 后, 其葡萄糖耐量水平下降, 肝糖原合成减少^[52], 胰岛素抵抗指数显著升高^[53].

糖尿病患者更易受到颗粒物的影响, 研究显示颗粒物暴露后糖尿病患者的心率变异性变化显著^[54], 血液中炎症因子水平上调^[55], 死亡率明显升高^[56]. DEP 处理 1 型糖尿病小鼠后, 其肺泡灌洗液中肿瘤坏死因子- α 、白蛋白和总蛋白水平显著较高, 超氧化物歧化酶活性和还原型谷胱甘肽浓度明显降低, 肺部

出现大量凋亡细胞^[57], 血液中血小板数量和聚集增加, 纤溶酶原活化因子抑制剂和血管性血友病因子明显升高^[58].

颗粒物影响脂肪组织、垂体、下丘脑的分泌功能. 研究发现, $\text{PM}_{2.5}$ 降低脂肪组织分泌脂联素和瘦素, 减少脂肪组织的线粒体体积和数量^[52], 引起小鼠白色脂肪组织内脂肪沉积^[59], 内脏脂肪含量升高^[60]. 此外, $\text{PM}_{2.5}$ 暴露改变了大鼠大脑垂体内皮激素和一氧化氮合酶基因表达量^[61]. DEP 升高胎鼠下丘脑去甲肾上腺素分泌水平, 脑组织中多巴胺和 5-羟色胺含量也发生变化^[62].

2 大气颗粒物对健康影响的作用机制

目前, 大气颗粒物诱导的氧化应激和炎症反应被认为是影响健康的主要作用机制. 颗粒物暴露后能够诱发多个组织产生炎症反应和氧化应激, 如肺部、血液、大脑、脂肪、肝脏等组织中炎性细胞数量增加, 炎症因子水平升高, 活性氧自由基(reactive oxygen species, ROS)生成增加, 氧化应激相关信号通路被激活, 超氧化物歧化酶、血红素加氧酶-1 等抗氧化酶活性改变^[51,59,63-65]. 体外实验也证明, 大气颗粒物及其组分能够上调不同细胞内 ROS 水平, 引起氧化应激^[66-68]. 研究发现, 炎症反应和氧化应激是相互诱导的, 炎症因子可增加细胞内 ROS 生成, 引起细胞氧化应激^[69], 而氧化应激又可导致细胞炎症反应^[70]. 因此, 颗粒物一方面可通过颗粒物及其可溶组分直接作用于组织器官, 引起炎症反应和氧化应激; 另一方面通过诱导肺部的炎症因子进入血液循环, 经血液分布到各组织, 引起氧化应激, 诱导组织炎症发生, 最终导致健康损害.

参考文献

- 1 Brook R D, Rajagopalan S, Pope C A, 3rd, et al. Particulate matter air pollution and cardiovascular disease: An update to the scientific statement from the american heart association. *Circulation*, 2010, 121: 2331-2378
- 2 Berlo D, Hullmann M, Schins R P. Toxicology of ambient particulate matter. *EXS*, 2012, 101:165-217
- 3 Snipes M B, James A C, Jarabek A M. The 1994 icrp66 human respiratory tract dosimetry model as a tool for predicting lung burdens from exposures to environmental aerosols. *J Occup Environ Hyg*, 1997, 12: 547-554
- 4 Cassee F R, Muijsers H, Duistermaat E, et al. Particle size-dependent total mass deposition in lungs determines inhalation toxicity of cadmium chloride aerosols in rats. Application of a multiple path dosimetry model. *Arch Toxicol*, 2002, 76: 277-286
- 5 Brook R D. Cardiovascular effects of air pollution. *Clin Sci*, 2008, 115: 175-187

- 6 Araujo J A, Nel A E. Particulate matter and atherosclerosis: Role of particle size, composition and oxidative stress. *Part Fibre Toxicol*, 2009, 6: 24
- 7 Sint T, Donohue J F, Ghio A J. Ambient air pollution particles and the acute exacerbation of chronic obstructive pulmonary disease. *Inhal Toxicol*, 2008, 20: 25–29
- 8 Chalupa D C, Morrow P E, Oberdorster G, et al. Ultrafine particle deposition in subjects with asthma. *Environ Health Perspect*, 2004, 112: 879–882
- 9 Daigle C C, Chalupa D C, Gibb F R, et al. Ultrafine particle deposition in humans during rest and exercise. *Inhal Toxicol*, 2003, 15: 539–552
- 10 Liu L, Poon R, Chen L, et al. Acute effects of air pollution on pulmonary function, airway inflammation, and oxidative stress in asthmatic children. *Environ Health Perspect*, 2009, 117: 668–674
- 11 Fajersztajn L, Veras M, Barrozo L V, et al. Air pollution: A potentially modifiable risk factor for lung cancer. *Nat Rev Cancer*, 2013, 13: 674–678
- 12 Pascal L, Pascal M, Stempfelet M, et al. Ecological study on hospitalizations for cancer, cardiovascular, and respiratory diseases in the industrial area of etang-de-berre in the south of france. *J Environ Public Health*, 2013, 2013: 328737
- 13 Raaschou-Nielsen O, Andersen Z J, Beelen R, et al. Air pollution and lung cancer incidence in 17 european cohorts: Prospective analyses from the european study of cohorts for air pollution effects (escape). *Lancet Oncol*, 2013, 14: 813–822
- 14 Straif K, Cohen A, Samet J. *Air Pollution and Cancer*. Lyon: IARC Scientific Publication, 2013. 13–229
- 15 Widdicombe J, Lee L Y. Airway reflexes, autonomic function, and cardiovascular responses. *Environ Health Perspect*, 2001, 109 Suppl 4: 579–584
- 16 Xiang H, Mertz K J, Arena V C, et al. Estimation of short-term effects of air pollution on stroke hospital admissions in wuhan, china. *PLoS One*, 2013, 8: e61168
- 17 Ranft U, Schikowski T, Sugiri D, et al. Long-term exposure to traffic-related particulate matter impairs cognitive function in the elderly. *Environ Res*, 2009, 109: 1004–1011
- 18 Calderon-Garciduenas L, Engle R, Mora-Tiscareno A, et al. Exposure to severe urban air pollution influences cognitive outcomes, brain volume and systemic inflammation in clinically healthy children. *Brain Cogn*, 2011, 77: 345–355
- 19 Guxens M, Sunyer J. A review of epidemiological studies on neuropsychological effects of air pollution. *Swiss Med Wkly*, 2012, 141: w13322
- 20 Volk H E, Hertz-Picciotto I, Delwiche L, et al. Residential proximity to freeways and autism in the charge study. *Environ Health Perspect*, 2011, 119: 873–877
- 21 Volk H E, Lurmann F, Penfold B, et al. Traffic-related air pollution, particulate matter, and autism. *JAMA Psychiatry*, 2013, 70: 71–77
- 22 Roberts A L, Lyall K, Hart J E, et al. Perinatal air pollutant exposures and autism spectrum disorder in the children of nurses' health study ii participants. *Environ Health Perspect*, 2013, 121: 978–984
- 23 Calderon-Garciduenas L, Solt A C, Henriquez-Roldan C, et al. Long-term air pollution exposure is associated with neuroinflammation, an altered innate immune response, disruption of the blood-brain barrier, ultrafine particulate deposition, and accumulation of amyloid beta-42 and alpha-synuclein in children and young adults. *Toxicol Pathol*, 2008, 36: 289–310
- 24 Levesque S, Surace M J, McDonald J, et al. Air pollution & the brain: Subchronic diesel exhaust exposure causes neuroinflammation and elevates early markers of neurodegenerative disease. *J Neuroinflammation*, 2011, 8: 105
- 25 Fonken L K, Xu X, Weil Z M, et al. Air pollution impairs cognition, provokes depressive-like behaviors and alters hippocampal cytokine expression and morphology. *Mol Psychiatry*, 2011, 16: 987–995
- 26 Schneider A, Hampel R, Ibal-Mulli A, et al. Changes in deceleration capacity of heart rate and heart rate variability induced by ambient air pollution in individuals with coronary artery disease. *Part Fibre Toxicol*, 2010, 7: 29
- 27 Chuang K J, Yan Y H, Cheng T J. Effect of air pollution on blood pressure, blood lipids, and blood sugar: a population-based approach. *J Occup Environ Med*, 2010, 52: 258–262
- 28 Peretz A, Sullivan J H, Leotta D F, et al. Diesel exhaust inhalation elicits acute vasoconstriction *in vivo*. *Environ Health Perspect*, 2008, 116: 937–942
- 29 Peters A, Doring A, Wichmann H E, et al. Increased plasma viscosity during an air pollution episode: A link to mortality? *Lancet*, 1997, 349: 1582–1587
- 30 Baccarelli A, Zanobetti A, Martinelli I, et al. Effects of exposure to air pollution on blood coagulation. *J Thromb Haemost*, 2007, 5: 252–260
- 31 Nemmar A, Hoet P H M, Dinsdale D, et al. Diesel exhaust particles in lung acutely enhance experimental peripheral thrombosis. *Circulation*, 2003, 107: 1202–1208

- 32 Krishnan R M, Adar S D, Szpiro A A, et al. Vascular responses to long- and short-term exposure to fine particulate matter: MESA Air (Multi-Ethnic Study of Atherosclerosis and Air Pollution). *J Am Coll Cardiol*, 2012, 60: 2158–2166
- 33 Wilker E H, Ljungman P L, Rice M B, et al. Relation of long-term exposure to air pollution to brachial artery flow-mediated dilation and reactive hyperemia. *Am J Cardiol*, 2014, 113: 2057–2063
- 34 Kunzli N, Jerrett M, Mack W J, et al. Ambient air pollution and atherosclerosis in los angeles. *Environ Health Perspect*, 2005, 113: 201–206
- 35 Hoffmann B, Moebus S, Mohlenkamp S, et al. Residential exposure to traffic is associated with coronary atherosclerosis. *Circulation*, 2007, 116: 489–496
- 36 Sun Q, Wang A, Jin X, et al. Long-term air pollution exposure and acceleration of atherosclerosis and vascular inflammation in an animal model. *JAMA*, 2005, 294: 3003–3010
- 37 Araujo J A, Barajas B, Kleinman M, et al. Ambient particulate pollutants in the ultrafine range promote early atherosclerosis and systemic oxidative stress. *Circ Res*, 2008, 102: 589–596
- 38 Suwa T, Hogg J C, Quinlan K B, et al. Particulate air pollution induces progression of atherosclerosis. *J Am Coll Cardiol*, 2002, 39: 935–942
- 39 Watanabe N, Oonuki Y. Inhalation of diesel engine exhaust affects spermatogenesis in growing male rats. *Environ Health Perspect*, 1999, 107: 539–544
- 40 Slama R, Bottagisi S, Solansky I, et al. Short-term impact of atmospheric pollution on fecundability. *Epidemiology*, 2013, 24: 871–879
- 41 Kumamoto T, Tsukue N, Takano H, et al. Fetal exposure to diesel exhaust affects x-chromosome inactivation factor expression in mice. *J Toxicol Sci*, 2013, 38: 245–254
- 42 Veras M M, Damaceno-Rodrigues N R, Guimaraes Silva R M, et al. Chronic exposure to fine particulate matter emitted by traffic affects reproductive and fetal outcomes in mice. *Environ Res*, 2009, 109: 536–543
- 43 Pedersen M, Giorgis-Allemand L, Bernard C, et al. Ambient air pollution and low birthweight: A european cohort study (escape). *Lancet Respir Med*, 2013, 1: 695–704
- 44 Sun Z, Mukherjee B, Brook R D, et al. Air-pollution and cardiometabolic diseases (aircmd): A prospective study investigating the impact of air pollution exposure and propensity for type II diabetes. *Sci Total Environ*, 2013, 448: 72–78
- 45 Chen H, Burnett R T, Kwong J C, et al. Risk of incident diabetes in relation to long-term exposure to fine particulate matter in ontario, canada. *Environ Health Perspect*, 2013, 121: 804–810
- 46 Pearson J F, Bachireddy C, Shyamprasad S, et al. Association between fine particulate matter and diabetes prevalence in the U.S. *Diabetes Care*, 2010, 33: 2196–2201
- 47 Gonzalez R N, Torres-Aviles F, Carrasco P E, et al. Association of the incidence of type 1 diabetes mellitus with environmental factors in chile during the period 2000–2007. *Rev Med Chil*, 2013, 141: 595–601
- 48 Fleisch A F, Gold D R, Rifas-Shiman S L, et al. Air pollution exposure and abnormal glucose tolerance during pregnancy: The project viva cohort. *Environ Health Perspect*, 2014, 122: 378–383
- 49 Tamayo T, Rathmann W, Kramer U, et al. Is particle pollution in outdoor air associated with metabolic control in type 2 diabetes? *PLoS One*, 2014, 9: e91639
- 50 Dales R E, Cakmak S, Vidal C B, et al. Air pollution and hospitalization for acute complications of diabetes in chile. *Environ Int*, 2012, 46: 1–5
- 51 Brook R D, Xu X, Bard R L, et al. Reduced metabolic insulin sensitivity following sub-acute exposures to low levels of ambient fine particulate matter air pollution. *Sci Total Environ*, 2013, 448: 66–71
- 52 Zheng Z, Xu X, Zhang X, et al. Exposure to ambient particulate matter induces a nash-like phenotype and impairs hepatic glucose metabolism in an animal model. *J Hepatol*, 2013, 58: 148–154
- 53 Xu X, Liu C, Xu Z, et al. Long-term exposure to ambient fine particulate pollution induces insulin resistance and mitochondrial alteration in adipose tissue. *Toxicol Sci*, 2011, 124: 88–98
- 54 Hampel R, Breitner S, Schneider A, et al. Acute air pollution effects on heart rate variability are modified by snps involved in cardiac rhythm in individuals with diabetes or impaired glucose tolerance. *Environ Res*, 2012, 112: 177–185
- 55 Schneider A, Neas L M, Graff D W, et al. Association of cardiac and vascular changes with ambient PM2.5 in diabetic individuals. *Part Fibre Toxicol*, 2010, 7: 14
- 56 Samoli E, Stafoggia M, Rodopoulou S, et al. Which specific causes of death are associated with short term exposure to fine and coarse particles in southern europe? Results from the med-particles project. *Environ Int*, 2014, 67c: 54–61
- 57 Nemmar A, Al-Salam S, Subramaniyan D, et al. Influence of experimental type 1 diabetes on the pulmonary effects of diesel exhaust particles in mice. *Toxicol Lett*, 2013, 217: 170–176

- 58 Nemmar A, Subramaniyan D, Yasin J, et al. Impact of experimental type 1 diabetes mellitus on systemic and coagulation vulnerability in mice acutely exposed to diesel exhaust particles. *Part Fibre Toxicol*, 2013, 10: 14
- 59 Mendez R, Zheng Z, Fan Z, et al. Exposure to fine airborne particulate matter induces macrophage infiltration, unfolded protein response, and lipid deposition in white adipose tissue. *Am J Transl Res*, 2013, 5: 224–234
- 60 Sun Q, Yue P, Deiluiis J A, et al. Ambient air pollution exaggerates adipose inflammation and insulin resistance in a mouse model of diet-induced obesity. *Circulation*, 2009, 119: 538–546
- 61 Thomson E M, Kumarathasan P, Calderon-Garciduenas L, et al. Air pollution alters brain and pituitary endothelin-1 and inducible nitric oxide synthase gene expression. *Environ Res*, 2007, 105: 224–233
- 62 Yokota S, Moriya N, Iwata M, et al. Exposure to diesel exhaust during fetal period affects behavior and neurotransmitters in male offspring mice. *J Toxicol Sci*, 2013, 38: 13–23
- 63 Ghio A J, Kim C, Devlin R B. Concentrated ambient air particles induce mild pulmonary inflammation in healthy human volunteers. *Am J Respir Crit Care Med*, 2000, 162: 981–988
- 64 Wang T, Wang L, Zaidi S R, et al. Hydrogen sulfide attenuates particulate matter-induced human lung endothelial barrier disruption via combined reactive oxygen species scavenging and akt activation. *Am J Respir Cell Mol Biol*, 2012, 47: 491–496
- 65 Guerra R, Vera-Aguilar E, Uribe-Ramirez M, et al. Exposure to inhaled particulate matter activates early markers of oxidative stress, inflammation and unfolded protein response in rat striatum. *Toxicol Lett*, 2013, 222: 146–154
- 66 Deng X, Zhang F, Rui W, et al. PM_{2.5}-induced oxidative stress triggers autophagy in human lung epithelial A549 cells. *Toxicol In Vitro*, 2013, 27: 1762–1770
- 67 Yi S, Zhang F, Qu F, et al. Water-insoluble fraction of airborne particulate matter (PM₁₀) induces oxidative stress in human lung epithelial A549 cells. *Environ Toxicol*, 2014, 29: 226–233
- 68 Han W, Dan W, Shuo Y, et al. Oxidative stress induced by urban fine particles in cultured EA.hy926 cells. *Hum Exp Toxicol*, 2011, 30: 579–590
- 69 Lee E N, Choi Y W, Kim H K, et al. Chloroform extract of aged black garlic attenuates TNF- α -induced ROS generation, VCAM-1 expression, NF- κ B activation and adhesiveness for monocytes in human umbilical vein endothelial cells. *Phytother Res*, 2011, 25: 92–100
- 70 Mittal M, Siddiqui M R, Tran K, et al. Reactive oxygen species in inflammation and tissue injury. *Antioxid Redox Signal*, 2014, 20: 1126–1167