中国应对气候变化和改善公众健康的挑战与政策建议

蔡闻佳^{1,2,3}, 惠婧璇^{1,2,3}, 宫鹏^{1,2,3*}, 王灿^{1,4}, 徐冰^{1,2,3}

1. 清华大学地球系统科学系, 地球系统数值模拟教育部重点实验室, 北京 100084;

2. 全球变化与中国绿色发展协同创新中心, 北京 100875;

3. 清华大学中国新型城镇化研究院健康城市研究中心, 北京 100084;

4. 清华大学环境学院, 北京 100084

* 联系人, E-mail: penggong@tsinghua.edu.cn

近期, 知名医学期刊 *Lancet* (柳叶刀) 发表了 2017 年度“柳叶刀倒计时: 公众健康和气候变化的全球进展”(以下简称“柳叶刀倒计时”)报告^[1]. 该报告指出, 全球气候变化不仅意味着热浪高温天气增多、空气污染加重, 人们的劳动生产效率受到影响, 在某种程度上还加速了某些传染病的扩散, 对人们的健康产生了恶劣影响.

这些气候变化带来的挑战与影响健康的社会环境因素相互作用, 对人类健康构成了前所未有的威胁, 这种威胁很可能抵消过去半个世纪人们在公共卫生方面取得的进步. 相反地, 积极应对气候变化会带来显著的健康协同效益. 例如, 电力行业去煤炭不仅减少了温室气体的排放, 还减少了当地的空气污染, 从而改善了居民的心肺健康.

让人们了解气候变化和应对气候变化行动对公众健康的影响至关重要, 这就是“柳叶刀倒计时”报告的作用. 该报告对涉及气候变化的 40 个关键指标数据进行跟踪, 这些指标主要涵盖了气候变化影响的 5 个方向: 气候变化对人类生存的影响、人类健康的适应调整规划、公共卫生的缓解措施、经济及金融问题和各国政府与公众的参与情况. 该报告以年度分析的形式呈现了调查结果. 有 24 所研究机构参与了该报告的撰写, 涉及学术机构和政府组织, 包括世界卫生组织和世界气象组织, 中国也是该项目的参与国. “柳叶刀倒计时”报告将从源头监测人类应对气候变化的努力所产生的健康效应, 既有重要的科学问题又能有力支撑政策制定.

由于我国人口众多, 在全球疾病负担和二氧化碳排放上又分居全球第二^[2]和第一位(<https://www.iea.org/statistics/relateddatabases/co2emissionsfromfuelcombustion/>), 因此我国在公众健康和气候变化领域都备受关注. 为了给我国提供一份有针对性的、关于健康与气候变化的政策建议, 参与“柳叶刀倒计时”全球报告的清华大学地球系统科学系学者从主报告的诸多指标中选取了 4 个与我国国情密切相关的指标(即: 气候敏感传染性疾病、去煤炭、城市空气污染以及空气污染的贡献)进行评论, 帮助读者迅速了解气候变化对中国居民健康的影响、中国应对气候变化和不利健康影响的措施, 以及相关的挑战和机遇.

宫鹏 清华大学地球系统科学系主任. 研究兴趣包括全球环境变化监测与模拟、星球健康等. 提出遥感生态测量学、拓展无线传感器网络及声音遥感环境应用, 率先发展基于球面坐标的全球分析和图像处理技术, 建立时空一体化的疾病传播模型, 推动基于空间化信息的水资源和粮食政策研究. 发表学术论文 500 余篇, 出版中英文专著 6 部.

1 指标 1: 气候敏感传染性疾病

埃及伊蚊和白纹伊蚊是两种对气候敏感的传染病载体, 它们会携带登革热、黄热病、基孔肯雅、马雅罗和寨卡病毒等. 有证据表明, 自 1950 年以来, 中国的平均媒介效能(媒介效能表征吸血昆虫群体从感染病例产生新接种的速率)保持着明显且持续地增长(图 1). 1909 年以来, 中国平均地表温度上升了 0.9~1.5 °C(<http://www.ccchina.org.cn/Detail.aspx?newsId=57620&Tid=57>), 这可能扩大了蚊子活动的范围且增加了蚊子活动的频率. 2015 年, 埃及伊蚊和白纹伊蚊的媒介效能已经在 1950 年的基础上分别增长了 7.8% 和 9.1%. 如果继续保持自 1950 年以来的近线性增长趋势(埃及伊蚊和白纹伊蚊的媒介效能变化对时间做线性回归, 拟合 R^2 分别为 0.23 和 0.17), 到 2030 年, 埃及伊蚊和白纹伊蚊的媒介效能将在 2015 年的基础上继续增长 1.5% 和 1.6%. 以上只是一个气候变化对人类健康产生影响的案例, 气候变化如何直接或间接影响人类健康的其他证据也在逐渐增多^[3].

2 指标 2: 去煤炭

在过去的几十年, 煤炭的使用满足了中国 70% 的能源

图1 1950年以来中国埃及伊蚊和白纹伊蚊的媒介效能变化

Figure 1 The vectorial capacity change of two mosquito vectors (*Aedes aegypti*) and (*Aedes albopictus*) in China since 1950

需求,并支撑了中国经济的快速增长(<http://www.iea.org/statistics/statisticssearch/>).然而,中国的空气质量也开始恶化.中国政府已决定严格控制煤炭消费,以应对气候变化和空气污染的双重挑战.2013年的《大气污染防治行动计划》制定了具体目标,即到2017年,中国煤炭消耗占总能源消耗的比例应降至65%以下.特别是京津冀、长三角、珠三角地区,这些地区必须降低煤炭消费总量.“十三五”规划提出了一个雄心勃勃的目标——到2020年一次能源消费中的煤炭占比从2015年的64%下降至58%(<http://en.cleanairechina.org/product/8348.html>).与此同时,《国家能源发展战略行动计划(2014~2020年)》也提出能源消费总量限制,即到2020年,一次能源消费总量控制在48亿吨标准煤左右,煤炭消费总量控制在42亿吨左右(<http://www.lse.ac.uk/GranthamInstitute/law/energy-development-strategy-action-plan-2014-2020/>).

这些政策取得了显著成效.2015年中国煤炭消费总量较2013年的高点有所下降(图2)^[1],这是一个令人鼓舞的迹象,表明中国的煤炭消费已经达峰,并已进入下降通道.中国燃煤电厂的占比在近几年开始下降,同时燃煤电厂的发电小时数也开始下降(图3)(<http://www.cec.org.cn/guihuayutongji/tongjixinxi/>).值得一提的是,去煤炭不仅可以带来直接的减排效果,从全生命周期的角度来看,去煤炭也可以增加建筑和交通部门清洁能源使用的比例^[4],因此带来间接的减排效果,从而对气候变化减缓和人类健康带来好处.

尽管去煤炭给气候变化减缓及人类健康带来了诸多好处,但据中国政府估计,2016年煤炭行业将会有五分之一的工人因此下岗(<https://www.technologyreview.com/s/600927/protests-rise-as-china-lays-off-millions-of-coal-workers/>).因此,政府决定花费超过150亿美元来帮助安置下岗工人(http://www.chinadaily.com.cn/business/2016-04/18/content_24618585.htm).然而,由于劳动技能的不匹配,这些被解雇的工人仍然面临着重新就业的巨大挑战.这些由于去煤炭带来的社会问题必须被妥善处理.

3 指标3: 城市空气污染

除了去煤炭之外,中国还制定了许多应对气候变化政策,包括调整产业结构、优化能源结构、节约能源使用以及提高能源使用效率等(表S1)(<https://www.brookings.edu/wp-content/uploads/2017/08/e2809ce58d81e4ba8ce4ba94e2809ce4bd8ee7a2b3e58f91e5b195e59b9ee9a1be.pdf>).这些政策,连同其他空气污染控制政策,极大地减低了城市空气污染的暴露水平.2013~2015年,中国空气污染水平显著下降^[5],京津冀、长江三角洲和珠江三角洲地区PM_{2.5}浓度分别下降了27.4%,20.9%和27.7%;全国人口加权年平均PM_{2.5}浓度下降21.5%,从2013年的60.5 μg m⁻³降至2015年的47.5 μg m⁻³;全国由于空气污染导致早逝的人数从2013年的122万下降到2015年的110万^[5].

尽管已经取得了以上进展,但在气候政策制定方面,居民健康还不是主要的考虑因素.政策制定者通常考虑的

图2 1950年以来中国煤炭消费量变化, 1 EJ=10¹⁸ J

Figure 2 Total primary coal supply in China and globally (shaded area against secondary y-axis), 1990–2015, 1 EJ=10¹⁸ J

图3 2010~2015年电力行业变化趋势

Figure 3 Power generation trends in China, 2010–2015

因素是温室气体减排效应、技术和经济成本, 以及社会可接受度。然而, 近些年一个明显的趋势是, 人们越来越关注气候政策的健康影响。此外, 多项研究已经证明, 中国的温室气体减排可以带来可观的健康效益, 甚至可能抵消政策的减排成本^[6,7]。因此, 在政策制定过程中, 迫切需要将健康协同效益纳入考量, 因为它可能会显著改变决策者对于政策成本的认知。

4 指标 4: 空气污染的行业贡献

在中国, 工业、建筑和交通行业是主要的终端能源需求行业。“柳叶刀倒计时”报告指出, 2015年能源相关的PM_{2.5}排放主要来自建筑行业(48%)(这里的建筑行业主要指城乡居民家庭用能), 其次是工业和交通行业^[3]; 能源相

关的氮氧化物排放主要来自工业、交通和电力行业。鉴于工业行业的能源消耗和排放规模, 目前的气候政策和大气污染控制政策的主要对象都是工业行业。

然而, 目前的政策并没有对交通和建筑行业做出比较有效的排放控制。对于交通行业, 目前还没有足够有力的政策来控制燃油汽车的数量。随着城市地区燃油汽车数量的爆炸性增长, 在上海、广州、北京和深圳, 道路交通贡献了总颗粒物排放的20%, 20%, 30%和15%以上^[8]。对于建筑行业, 目前各类电器的能效标准还比较缺乏(https://www.iea.org/publications/freepublications/publication/PARTNERCOUNTRYSERIESBuildingEnergy_WEB_FINAL.pdf)。更重要的是, 目前中国还有约一半的居民在使用固体燃料(生物质和煤)来做饭和取暖^[8], 这种家庭用能方式会带来严重的室内空气污染并且对居民的健康造成影响, 特别是

对妇女与儿童^[9-15].

随着中国产业结构的改善以及人民生活水平的提高,工业行业贡献的空气污染可能会在未来迅速下降.交通和建筑行业将逐渐成为国家能源消耗、温室气体排放和空气污染的主要贡献者.由于这些行业的落后产品通常需要几十年的时间才能退出市场,因此在未来几年,为了避免“锁定效应”,应该在建筑和交通行业采取更积极的减排措施.

5 政策建议

(1) 进一步研究气候变化对疾病和人类健康的影响机制,制定更有针对性的预防措施.尽管中国已经建立了一个相当好的检测、预警、准备和应对系统来应对突发卫生事件,但仍需要进一步分析和更好地理解气候变化对发病率的影响.这将极大地促进对气候变化的预防,以及制定

更具成本有效性的应对策略.

(2) 继续去煤炭,同时妥善处理相应的社会问题.为避免社会不稳定的问题,需要制定系统的解决方案,例如建立新的工业领域和产品、扩大国内和海外市场、提供免费培训和职业指导、发展以市场为导向的职业教育以及为那些有创业意图的人提供足够的政府支持.

(3) 将健康效应纳入气候决策过程.充分考虑潜在的气候相关技术和政策的健康影响,以便重新评估拟定的政策,从而制定更具成本效益和社会可接受的技术路线图和政策.

(4) 加强交通和建筑行业等潜在排放大户的排放控制.研究并发布更多政策以鼓励这两个行业的气候友好型生产与消费(如加速开发和部署电动汽车,加强建筑行业节能标准等),以避免潜在的锁定效应.

致谢 本文承蒙国家自然科学基金(71773061, 71525007)和唐仲英基金资助,特此致谢.非常感谢清华大学地球系统科学系的张强教授和郑逸璇博士,以及“柳叶刀倒计时”的 Nick Watts 和 Nicola Wheeler 为本文提供的意见与建议.

推荐阅读文献

- 1 Watts N, Amann M, Ayeb-Karlsson S, et al. The *Lancet* Countdown on health and climate change: From 25 years of inaction to a global transformation for public health. *Lancet*, 2018, 391: 10–16
- 2 Feigin V L, Abajobir A A, Abate K H, et al. Global, regional, and national burden of neurological disorders during 1990–2015: A systematic analysis for the Global Burden of Disease Study 2015. *Lancet Neurol*, 2017, 16: 877–897
- 3 Zhang J F, Mauzerall D L, Zhu T, et al. Environmental health in China: Progress towards clean air and safe water. *Lancet*, 2010, 375: 1110–1119
- 4 Teng F, Gu A, Yang X, et al. Pathways to deep decarbonization in China. Technical Report. Paris: Sustainable Development Solutions Network (SDSN) and Institute for Sustainable Development and International Relations (IDDRI), 2015
- 5 Zheng Y, Xue T, Zhang Q, et al. Air quality improvements and health benefits from China's clean air action since 2013. *Environ Res Lett*, 2017, 12: 114020
- 6 Xie Y, Dai H, Dong H, et al. Economic impacts from PM_{2.5} pollution-related health effects in China: A provincial-level analysis. *Environ Sci Technol*, 2016, 50: 4836–4843
- 7 Wu R, Dai H, Geng Y, et al. Economic impacts from PM_{2.5} pollution-related health effects: A case study in Shanghai. *Environ Sci Technol*, 2017, 51: 5035–5042
- 8 Naceure K B, Cozzi L, Gül T, et al. World Energy Outlook 2016 special report: Energy and air pollution. Technical Report. Paris: International Energy Agency, 2016
- 9 Smith K R, Mehta S. The burden of disease from indoor air pollution in developing countries: Comparison of estimates. *Int J Hyg Environ Health*, 2003, 206: 279–289
- 10 Ezzati M, Lopez A D, Rodgers A, et al. Comparative Quantification of Health Risks: Global and Regional Burden of Disease Attributable to Selected Major Risk Factor. Geneva: World Health Organization, 2004. 1435–1493
- 11 Jin Y, Ma X, Chen X, et al. Exposure to indoor air pollution from household energy use in rural China: The interactions of technology, behavior, and knowledge in health risk management. *Soc Sci Med*, 2006, 62: 3161–3176
- 12 Zhang J J, Smith K R. Household air pollution from coal and biomass fuels in China: Measurements, health impacts, and interventions. *Environ Health Perspect*, 2007, 115: 848–855
- 13 Fullerton D G, Bruce N, Gordon S B. Indoor air pollution from biomass fuel smoke is a major health concern in the developing world. *T Roy Soc Trop Med H*, 2008, 102: 843–851
- 14 Baumgartner J, Schauer J J, Ezzati M, et al. Patterns and predictors of personal exposure to indoor air pollution from biomass combustion among women and children in rural China. *Indoor Air*, 2011, 21: 479–488

-
- 15 Chafe Z A, Brauer M, Klimont Z, et al. Household cooking with solid fuels contributes to ambient PM_{2.5} air pollution and the burden of disease. *Environ Health Perspect*, 2014, 122: 1314–1320
-

补充材料

表 S1 中国减排政策及其效果

本文以上补充材料见网络版 csb.scichina.com. 补充材料为作者提供的原始数据, 作者对其学术质量和内容负责.

Summary for “中国应对气候变化和改善公众健康的挑战与政策建议”

China's challenges and policy recommendations for addressing climate change and improving public health

Wenjia Cai^{1,2,3}, Jingxuan Hui^{1,2,3}, Peng Gong^{1,2,3*}, Can Wang⁴ & Bing Xu^{1,2,3}

¹ Ministry of Education Key Laboratory for Earth System Modeling, Department of Earth System Science, Tsinghua University, Beijing 100084, China;

² Joint Center for Global Change Studies, Beijing 100875, China;

³ Institute for China Sustainable Urbanization, Tsinghua University, Beijing 100084, China;

⁴ School of Environment, Tsinghua University, Beijing 100084, China

* Corresponding author, E-mail: penggong@tsinghua.edu.cn

The health impacts of climate change are experienced through both direct and indirect pathways. These may take the form of an increase in the frequency or severity of extreme weather events such as heatwaves, floods, droughts, and storms. These directly impact human health, resulting in heat-related mortality, injury, and loss of livelihoods. Indirectly, climate change may interact with other environmental systems, for example, altering the burden and pattern of distribution of vector-, water-, or food-borne infectious diseases. Increasingly, the effects of climate change interact with already vulnerable social systems, for example by threatening the availability of adequate nutrition or safe drinking water.

These challenges interact with many of the social and environmental determinants of health, presenting an unprecedented threat to human health which, left un-mitigated, could work to reverse the last half-century of gains made in public health. Conversely, the response to climate change presents the potential for enormous health co-benefits. For example, efforts to phase-out coal-fired power not only reduces greenhouse gas emissions, but also reduces local air pollution, thus improving the cardiopulmonary health of surrounding populations.

It is vital to understand (1) the impacts that climate change is having on human health and (2) the health consequences of the global response to climate change. Thus, recently, *Lancet* published “2017 *Lancet* Countdown” report to inform people about the effects of climate change on human health and the global health effects of climate change.

China is a hotspot country in health and climate change because it has the world's largest population, with the second largest burden of disease and the largest total carbon dioxide emissions of any country. To provide a unique national analysis and policy recommendations for health and climate change, scholars from Department of Earth System Science, Tsinghua University, who had involved in the “2017 *Lancet* Countdown” report, reviewed four indicators mostly related to China's national conditions. This review will help readers quickly understand the impacts of climate change on the health of Chinese residents, China's measures to address climate change and health impacts, as well as related challenges and opportunities. Specifically, this policy brief makes the following major recommendations:

(1) Further analyze the role of climate change on diseases and on human health to make more customized prevention policies: although China has established a fairly good detection, early warning, preparedness and response system to health emergencies, further analysis and better understanding on the drivers are needed, especially the role of climate change, behind the change of incidence rate or vectorial capacity. This will greatly facilitate a prevention-oriented and more cost-effective response strategy to climate change.

(2) Continue phasing out coal while properly handling the consequent social problems: systematic solutions including developing new industrial fields and products, expanding domestic and overseas market, providing free training and career guidance, developing market-oriented vocational education, giving adequate government support for those who want to start their own businesses are urgently needed to avoid social unrest problems.

(3) Integrate health in the climate policy-making process: fully consider the health effects of potential climate technologies and policies, in order to re-evaluate the proposed policy and develop more cost-effective and socially acceptable technology roadmap and policies.

(4) Tighten the emission control on potential large-emitting sectors such as transport and buildings: study and publish more policies to encourage climate-friendly productions and consumptions in these two sectors (such as speeding up the development and deployment of electric vehicle, strengthening the standards of energy conservation in building sector, etc.), in order to avoid the potential lock-in effects.

climate change, health, infectious disease, coal phase-out, air pollution

doi: 10.1360/N972017-01363